


Meet your new workmate

Your comfort matters. Therefore, ABAC created a small screw compressor with an extremely low noise level, comparable to your air conditioning system. Very compact and easy to install, ABAC SPINN compressors offer excellent savings on installation and piping costs, especially on the compact model with dryer.



A safe investment for continuous use

ABAC SPINN compressors are 30% more efficient than piston compressors and have a longer lifetime due to less vibration and fewer moving parts.



The world of ABAC



Original parts.
Your quality assurance.

Your Authorized Distributor

200906669

The 'original part' identification confirms that these components passed our strict test criteria. All parts are designed to match the compressor and are approved for use on the specified compressor. They have been thoroughly tested to obtain the highest level of protection, extending the compressors' lifetime and keeping the cost of ownership to an absolute minimum. No compromises are made on reliability. The use of 'original part' certified quality components helps ensure reliable operation and will not impact the validity of your warranty, unlike other parts. Look for your quality assurance.



Compressed air at your service



2,2 to 15 kW

Compressed air at your service

Join the ABAC advantage

Since 1980, ABAC offers the right mix of flexibility and experience for the industrial, professional and DIY compressed air markets. From state-of-the-art production facilities straight to your business via thousands of distributors in more than 100 countries worldwide, ABAC provides you with plug & play air solutions with a quality label. We deliver trouble free workmates, both piston as well as screw compressors, that are always available and ready to use.



Join today thousands of convinced customers operating millions of ABAC compressors worldwide.



We follow your evolution!

Still remember when you started up your company and bought your first piston compressor? Thanks to your hard work and the smart decisions you made your business has grown. Now it is time to grow your equipment too. And ABAC is at your side: when moving from occasional use to continuous air flow, ABAC screw compressors deliver exactly what you need. Meet our new range of SPINN compressors.

Our famous user friendliness

Thanks to the straightforward control panel, you have a clear overview of all the key parameters in no time. They guide you via easy accessible components through easy and fast operation and maintenance. So you can focus on more important matters.

Dedicated service kits support reliable and efficient operation and include all original parts in one single package. ABAC provides you with a simple solution based on the running hours of your compressor. All parts easy at hand while providing highest protection of your investment!





SPINN Series
2,2 to 7,5 kW

Power sizes 2,2 to 7,5 kW


Type	litres	bar	psi	l/min	cfm	HP	kW	dB(A)	L x W x H (mm)	Kg
SPINN Floor mounted Only 0,38 m²	0	8	116	300	10,6	3	2,2	61	620 x 612 x 995	99
				445	15,8	4	3	61	620 x 612 x 995	103
				560	19,8	5,5	4	62	620 x 612 x 995	105
				700	24,8	7,5	5,5	64	620 x 612 x 995	110
				1008	35,7	10	7,5	66	620 x 635 x 995	160
	0	10	145	240	8,5	3	2,2	61	620 x 612 x 995	99
				320	11,3	4	3	61	620 x 612 x 995	103
				470	16,6	5,5	4	62	620 x 612 x 995	105
				600	21,2	7,5	5,5	64	620 x 612 x 995	110
				920	32,6	10	7,5	66	620 x 635 x 995	160
SPINN Tank mounted Only 0,87 m² (200 L vessel size)	200	8	116	297	10,5	3	2,2	61	1429 x 612 x 1300	155
	270			1531 x 612 x 1394	166					
	200			1429 x 612 x 1300	157					
	270			1531 x 612 x 1394	168					
	200			1429 x 612 x 1300	159					
	270			1531 x 612 x 1394	170					
	200			1429 x 612 x 1300	164					
	270			1531 x 612 x 1394	175					
	200			1429 x 635 x 1320	214					
	270	1531 x 635 x 1394	225							
	200	10	145	240	8,5	3	2,2	61	1429 x 612 x 1300	155
	270			1531 x 612 x 1394	166					
	200			1429 x 612 x 1300	157					
	270			1531 x 612 x 1394	168					
	200			1429 x 612 x 1300	159					
	270			1531 x 612 x 1394	170					
	200			1429 x 612 x 1300	164					
	270			1531 x 612 x 1394	175					
200	1429 x 635 x 1320			214						
270	1531 x 635 x 1394	225								
SPINN.E Tank mounted + dryer Only 0,94 m² (270 L vessel size)	200	8	116	297	10,5	3	2,2	61	1429 x 612 x 1300	187
	270			1531 x 612 x 1394	198					
	200			1429 x 612 x 1300	191					
	270			1531 x 612 x 1394	202					
	200			1429 x 612 x 1300	193					
	270			1531 x 612 x 1394	204					
	200			1429 x 612 x 1300	188					
	270			1531 x 612 x 1394	209					
	200			1429 x 635 x 1320	254					
	270	1531 x 635 x 1394	265							
	200	10	145	240	8,5	3	2,2	61	1429 x 612 x 1300	155
	270			1531 x 612 x 1394	166					
	200			1429 x 612 x 1300	157					
	270			1531 x 612 x 1394	168					
	200			1429 x 612 x 1300	159					
	270			1531 x 612 x 1394	170					
	200			1429 x 612 x 1300	164					
	270			1531 x 612 x 1394	175					
200	1429 x 635 x 1320			249						
270	1531 x 635 x 1394	260								



SPINN Series
5,5 to 15 kW


Power sizes 5,5 to 15 kW

Type	litres	bar	psi	l/min	cfm	HP	kW	dB(A)	L x W x H (mm)	Kg
SPINN Floor mounted	0	8	116	750	26,6	7,5	5,5	65	810 x 650 x 995	156
				1008	35,7	10	7,5	66	810 x 650 x 995	167
				1428	50,6	15	11	68	810 x 650 x 995	180
				1750	62,0	20	15	69	810 x 650 x 995	188
				630	22,3	7,5	5,5	65	810 x 650 x 995	156
Only 0,53 m²	0	10	145	920	32,6	10	7,5	66	810 x 650 x 995	167
				1310	46,4	15	11	68	810 x 650 x 995	180
				1650	58,4	20	15	69	810 x 650 x 995	188
				557	19,7	10	7,5	66	810 x 650 x 995	167
				887	31,4	15	11	68	810 x 650 x 995	180
SPINN Tank mounted	200	8	116	1190	42,1	20	15	69	810 x 650 x 995	188
				750	26,6	7,5	5,5	65	1533 x 650 x 1352	191
				1008	35,7	10	7,5	66	1533 x 650 x 1352	202
				1428	50,6	15	11	68	1533 x 650 x 1352	215
				1750	62,0	20	15	69	1533 x 650 x 1352	223
	270	10	145	630	22,3	7,5	5,5	65	1533 x 650 x 1352	191
				920	32,6	10	7,5	66	1533 x 650 x 1352	202
				1310	46,4	15	11	68	1533 x 650 x 1352	215
				1650	58,4	20	15	69	1533 x 650 x 1352	223
				750	26,6	7,5	5,5	65	1533 x 650 x 1352	281
	500	8	116	1008	35,7	10	7,5	66	1533 x 650 x 1352	292
				1428	50,6	15	11	68	1533 x 650 x 1352	305
				1750	62,0	20	15	69	1533 x 650 x 1352	313
		10	145	630	22,3	7,5	5,5	65	1533 x 650 x 1352	281
				920	32,6	10	7,5	66	1533 x 650 x 1352	292
				1310	46,4	15	11	68	1533 x 650 x 1352	305
Only 1,26 m² (500 L vessel size)	270	13	188	1650	58,4	20	15	69	1533 x 650 x 1352	313
				557	19,7	10	7,5	66	1533 x 650 x 1352	292
				887	31,4	15	11	68	1533 x 650 x 1352	305
				1190	42,1	20	15	69	1533 x 650 x 1352	313
				750	26,6	7,5	5,5	65	1533 x 650 x 1352	219
SPINN.E Tank mounted + dryer	200	8	116	1008	35,7	10	7,5	66	1533 x 650 x 1352	245
				1428	50,6	15	11	68	1533 x 650 x 1352	259
				1750	62,0	20	15	69	1533 x 650 x 1352	265
		10	145	630	22,3	7,5	5,5	65	1533 x 650 x 1352	219
				920	32,6	10	7,5	66	1533 x 650 x 1352	245
				1310	46,4	15	11	68	1533 x 650 x 1352	259
	270	10	145	1650	58,4	20	15	69	1533 x 650 x 1352	265
				750	26,6	7,5	5,5	65	1533 x 650 x 1352	309
				1008	35,7	10	7,5	66	1533 x 650 x 1352	335
				1428	50,6	15	11	68	1533 x 650 x 1352	349
				1750	62,0	20	15	69	1533 x 650 x 1352	353
	500	10	145	630	22,3	7,5	5,5	65	1533 x 650 x 1352	309
				920	32,6	10	7,5	66	1533 x 650 x 1352	326
				1310	46,4	15	11	68	1533 x 650 x 1352	340
				1650	58,4	20	15	69	1533 x 650 x 1352	348
				557	19,7	10	7,5	66	1533 x 650 x 1352	326
Only 0,99 m² (270 L vessel size)	270	13	188	887	31,4	15	11	68	1533 x 650 x 1352	340
				1190	42,1	20	15	69	1533 x 650 x 1352	348



SPINN.E Series
Dryer versions

Extra compact, cost efficient and easy installation where moisture free air is required.



Easy operating
control panel

All the info you need to operate your compressor at a glance.



Efficient cooling

A coaxial fan provides excellent cooling of all the internal components, better than water cooled systems. This leads into higher efficiency and better reliability in operation.



Easy and cost effective
maintenance

Long service intervals and external oil level check. Quick access to air & oil filters, air & oil separator, oil fill & drain.




Reliability, efficiency
and robustness

The most advanced technologies in rotor design and oil household. Optimized seal arrangements and bearings.



Less noise and
more energy saving

The automatic condensate drain discharges only water, no air. This silent process respects your working environment.



ES 99 Controller

Straight forward and user-friendly. Load time is adjusted to the air consumption, which prevents the electric motor from running if not needed.